

View Online at <https://aerobasegroup.com/nsn/5915-00-430-5104>

Overall Height:

1.110 inches

Body Length:

3.375 inches

Body Width:

1.032 inches

Body Height:

0.800 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:

1.936 inches

Vibration Resistance Range In Hertz:

+10.0/+2000.0

Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:

0.562 inches

Operating Temperature Range:

-54.0/+70.0 degrees celsius

Reference Frequency Per Function:

20.6 megahertz blank

Source Impedance Rating Per Function:

50.0 ohms blank

Load Impedance Per Function:

50.0 ohms blank

Principal Circuitry Type Per Function:

Inductance-capacitance blank

Input Terminal Identification:

Sma-receptacle

Output Terminal Manufacturer Code:

31550

Output Terminal Identification:

Sma-receptacle

Mounting Facility Screw Thread Series Designator:

Unc

Inclosure Type:

Encased

Mounting Facility Type And Quantity:

2 threaded stud

Features Provided:

Shock resistant

Insertion Loss At Reference Frequency Per Function In Decibels:

4.5 blank

Functional Terminal Type And Quantity:

1 connector, receptacle output 2nd function

Specified Frequencies Of Discrimination Per Function:

20.30 megahertz blank and 20.567 megahertz blank and 20.633 megahertz blank and 20.90 megahertz blank

Thread Size:

0.112 inches

Body Material:

Metal

Frequency Band Width Per Function:

20.567 megahertz blank and 20.633 megahertz blank

Discrimination At Specificationified Frequencies Per Function In Decibels:

1.0 blank and 100.0 blank

Style Designator:

Rectangular terminal/terminals on one surface

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A047b0