NSN 5915-00-433-2292

High Pass Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5915-00-433-2292

Overall Height:

Between 1.797 inches and 1.938 inches

Body Length:

Between 4.484 inches and 4.516 inches

Body Width:

Between 0.984 inches and 1.000 inches

Body Height:

Between 1.484 inches and 1.500 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:

Between 3.021 inches and 3.031 inches

Vibration Resistance Range In Hertz:

+10.0/+500.0

Operating Tempurature Range:

-40.0/+85.0 degrees celsius

Reference Frequency Per Function:

1.0003225 megahertz blank

Source Impedance Rating Per Function:

500.0 ohms blank

Load Impedance Per Function:

500.0 ohms blank

Principal Circuitry Type Per Function:

Crystal blank

Inclosure Type:

Encased

Insertion Loss At Reference Frequency Per Function In Decibels:

4.0 blank

Functional Terminal Type And Quantity:

2 pin ground 3rd function

Specified Frequencies Of Discrimination Per Function:

1.00 megahertz blank

Thread Size:

0.112 inches

Frequency Band Width Per Function:

1.00031 megahertz blank and 1.000335 megahertz blank

Discrimination At Specificationified Frequencies Per Function In Decibels:

40.0 blank and 60.0 blank

Criticality Code Justification:

Ahaj and crbb and cqfc

Style Designator:

Rectangular terminal/terminals on one surface

Test Data Document:

18876-10670304 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

NSN 5915-00-433-2292

High Pass Filter - Page 2 of 2



_					
٠.	n	_	I+	18	e:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A047b0