

View Online at <https://aerobasegroup.com/nsn/5915-00-440-7272>

Overall Length:

7.250 inches

Overall Height:

1.969 inches

Mounting Slot Width:

0.500 inches

Body Length:

5.375 inches

Body Width:

3.000 inches

Body Height:

1.813 inches

Operating Temperature Range:

-55.0/+85.0 degrees celsius

Source Impedance Rating Per Function:

50.0 ohms 1st radio interference 50.0 ohms 2nd radio interference 50.0 ohms 3rd radio interference 50.0 ohms 4th radio interference 50.0 ohms 5th radio interference 50.0 ohms 6th radio interference

Load Impedance Per Function:

50.0 ohms 1st radio interference 50.0 ohms 2nd radio interference 50.0 ohms 3rd radio interference 50.0 ohms 4th radio interference 50.0 ohms 5th radio interference 50.0 ohms 6th radio interference

Power Line Frequency Rating Per Function In Hertz:

60.0 1st radio interference 60.0 2nd radio interference

Operating Current Rating Per Function In Amps:

1.0 1st radio interference 1.0 2nd radio interference 5.0 3rd radio interference 5.0 4th radio interference 15.0 5th radio interference 10.0 6th radio interference

Maximum Voltage Drop Per Function:

1.15 volts ac 1st radio interference 1.15 volts ac 2nd radio interference 0.28 volts dc 3rd radio interference 0.28 volts dc 4th radio interference 0.28 volts dc 5th radio interference

Principal Circuitry Type Per Function:

Inductance-capacitance 1st radio interference inductance-capacitance 2nd radio interference inductance-capacitance 3rd radio interference inductance-capacitance 4th radio interference inductance-capacitance 5th radio interference inductance-capacitance 6th radio interference

Input Terminal Manufacturer Code:

0c864

Input Terminal Identification:

Sma connector plug

Mounting Facility Screw Thread Series Designator:

Unc

Inclosure Type:

Hermetically sealed

Mounting Facility Type And Quantity:

1 slot 1 threaded bushing

Functional Terminal Type And Quantity:

1 connector, plug input 1st function 16 tab, solder lug output 2nd function

Operating Voltage Rating And Type Per Function:

115.0 volts ac 1st radio interference 1st function 115.0 volts ac 2nd radio interference 2nd function 28.0 volts dc 3rd radio interference 3rd

Body Material:

Metal

Special Features:

Sixteen filtered functions

Style Designator:

Rectangular terminal/terminals on two surfaces

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A047b0