

View Online at https://aerobasegroup.com/nsn/5915-00-443-3987

Overall Length: 4.125 inches **Overall Height:** 1.620 inches **Overall Width:** 2.059 inches **Body Length:** 3.016 inches **Body Width:** 1.719 inches Distance Between Centerlines Of Mounting Facilities Parallel To Body Length: 3.625 inches Vibration Resistance Range In Hertz: +10.0/+500.0 Distance Between Centerlines Of Mounting Facilities Parallel To Body Width: 0.875 inches **Operating Tempurature Range:** -54.0/+95.0 degrees celsius Average Life Rating In Hours: 87600.0 Source Impedance Rating Per Function: 50.0 ohms 2nd radio interference Load Impedance Per Function: 50.0 ohms 2nd radio interference **Operating Current Rating Per Function In Amps:** 3.0 2nd radio interference Mounting Facility Screw Thread Series Designator: Unc **Inclosure Type:** Hermetically sealed Mounting Facility Type And Quantity: 3 threaded hole **Functional Terminal Type And Quantity:** 2 tab, solder lug output 2nd function **Operating Voltage Rating And Type Per Function:** 28.0 volts dc 1st radio interference 1st function Thread Size: 0.112 inches **Body Material:** Metal Maximum Dielectric Withstanding Dc Voltage: 56.0 volts at altitude

Radio Frequency Interference Filter - Page 2 of 2



Body Surface Treatment:

Tin

Style Designator:

Rectangular terminal/terminals on adjacent surfaces

Test Data Document:

80249-690284 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.;

excludes any specification, standard or other document that may be referenced in a basic governing drawing)

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A047b0