

View Online at <https://aerobasegroup.com/nsn/5915-00-450-4673>

**Overall Height:**

1.780 inches

**Body Length:**

1.690 inches

**Body Width:**

1.560 inches

**Body Height:**

1.500 inches

**Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:**

0.562 inches

**Reference Frequency Per Function:**

1.275 kilohertz blank

**Input Impedance Per Function W/load:**

600.0 ohms blank

**Output Impedance Per Function W/source Across Input:**

3.9 kilohms blank

**Principal Circuitry Type Per Function:**

Inductance-capacitance blank

**Mounting Facility Screw Thread Series Designator:**

Unc

**Inclosure Type:**

Encased

**Mounting Facility Type And Quantity:**

2 threaded hole

**Insertion Loss At Reference Frequency Per Function In Decibels:**

3.0 blank

**Functional Terminal Type And Quantity:**

2 pin output 2nd function

**Maximum Dielectric Withstanding Ac Rms Voltage:**

500.0 volts at sea level

**Specified Frequencies Of Discrimination Per Function:**

500.00 hertz blank and 1.00 kilohertz blank and 1.60 kilohertz blank and 3.825 kilohertz blank

**Thread Size:**

0.138 inches

**Body Material:**

Metal

**Frequency Band Width Per Function:**

1.00 kilohertz blank and 1.60 kilohertz blank

**Discrimination At Specificationified Frequencies Per Function In Decibels:**

15.0 blank and 3.0 blank and 3.0 blank and 15.0 blank

**Body Surface Treatment:**

Tin

**Special Features:**

3 dummy terminals

**Style Designator:**

Rectangular terminal/terminals on one surface

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

Yes - demil/mli

**Fiig:**

A047b0