

View Online at <https://aerobasegroup.com/nsn/5915-00-450-4673>

Overall Height:

1.780 inches

Body Length:

1.690 inches

Body Width:

1.560 inches

Body Height:

1.500 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:

0.562 inches

Reference Frequency Per Function:

1.275 kilohertz blank

Input Impedance Per Function W/load:

600.0 ohms blank

Output Impedance Per Function W/source Across Input:

3.9 kilohms blank

Principal Circuitry Type Per Function:

Inductance-capacitance blank

Mounting Facility Screw Thread Series Designator:

Unc

Inclosure Type:

Encased

Mounting Facility Type And Quantity:

2 threaded hole

Insertion Loss At Reference Frequency Per Function In Decibels:

3.0 blank

Functional Terminal Type And Quantity:

2 pin output 2nd function

Maximum Dielectric Withstanding Ac Rms Voltage:

500.0 volts at sea level

Specified Frequencies Of Discrimination Per Function:

500.00 hertz blank and 1.00 kilohertz blank and 1.60 kilohertz blank and 3.825 kilohertz blank

Thread Size:

0.138 inches

Body Material:

Metal

Frequency Band Width Per Function:

1.00 kilohertz blank and 1.60 kilohertz blank

Discrimination At Specificationified Frequencies Per Function In Decibels:

15.0 blank and 3.0 blank and 3.0 blank and 15.0 blank

Body Surface Treatment:

Tin

Special Features:

3 dummy terminals

Style Designator:

Rectangular terminal/terminals on one surface

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A047b0