

View Online at <https://aerobasegroup.com/nsn/5915-00-451-0923>

Overall Length:

5.312 inches

Body Length:

Between 3.188 inches and 3.312 inches

Body Outside Diameter:

Between 1.438 inches and 1.562 inches

Vibration Resistance Range In Hertz:

+10.0/+2000.0

Operating Temperature Range:

-65.0/+85.0 degrees celsius

Average Life Rating In Hours:

250.0

Input Impedance Per Function W/load:

50.0 ohms blank

Output Impedance Per Function W/source Across Input:

50.0 ohms blank

Operating Current Rating Per Function In Amps:

30.0 blank

Maximum Voltage Drop Per Function:

500.0 millivolts dc blank

Principal Circuitry Type Per Function:

Inductance-capacitance blank

Mounting Facility Screw Thread Series Designator:

Unef

Inclosure Type:

Encased

Mounting Facility Type And Quantity:

1 threaded bushing

Functional Terminal Type And Quantity:

1 threaded stud output 2nd function

Operating Voltage Rating And Type Per Function:

100.0 volts dc blank

Thread Size:

0.750 inches

Maximum Dielectric Withstanding Dc Voltage:

200.0 volts at sea level and 125.0 volts at altitude

Style Designator:

Round terminal/terminals on opposite surfaces

Test Data Document:

81349-milf15733 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). And 81349-milf15733/1 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.)

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A047b0