

View Online at <https://aerobasegroup.com/nsn/5915-00-451-7318>

Overall Length:

17.020 inches

Overall Height:

3.500 inches

Body Length:

13.000 inches

Body Width:

12.000 inches

Unthreaded Mounting Hole Diameter:

0.203 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:

11.000 inches

Vibration Resistance Range In Hertz:

+5.0/+33.0

Operating Temperature Range:

-55.0/+80.0 degrees celsius

Source Impedance Rating Per Function:

150.0 ohms 2nd radio interference

Load Impedance Per Function:

150.0 ohms 2nd radio interference

Power Line Frequency Rating Per Function In Hertz:

60.0 2nd radio interference

Operating Current Rating Per Function In Amps:

60.0 1st radio interference

Maximum Voltage Drop Per Function:

1.0 volts ac 1st radio interference

Principal Circuitry Type Per Function:

Inductance-capacitance-resistance 1st radio interference

Maximum Temperature Rise:

28.0 degrees celsius

Full Load Insertion Loss Frequencies In Megahertz:

0.015 and 0.15 and 0.5 and 1.0 and 10.0 and 100.0

Full Load Minimum Insertion Loss At Specificationified Frequency In Decibels:

48.0 and 100.0 and 100.0 and 100.0 and 100.0 and 80.0

Inclosure Type:

Encased

Mounting Facility Type And Quantity:

10 unthreaded hole

Functional Terminal Type And Quantity:

2 threaded stud input 1st function

Operating Voltage Rating And Type Per Function:

120.0 volts ac 2nd radio interference 2nd function

Body Material:

Metal

Maximum Dielectric Withstanding Dc Voltage:

800.0 volts at sea level

Body Surface Treatment:

Tin

Special Features:

2.875 in. Distance between mtg holes parallel to body h

Style Designator:

Rectangular terminal/terminals on opposite surfaces

Test Data Document:

03640-2989855 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A047b0