## NSN 5915-00-478-5966

Band Pass Filter - Page 1 of 2



## View Online at https://aerobasegroup.com/nsn/5915-00-478-5966 **Overall Height:** 1.000 inches **Body Length:** 2.000 inches **Body Width:** 1.250 inches **Body Height:** 0.750 inches Distance Between Centerlines Of Mounting Facilities Parallel To Body Length: 1.500 inches Vibration Resistance Range In Hertz: +10.0/+2000.0 Distance Between Centerlines Of Mounting Facilities Parallel To Body Width: 0.600 inches **Operating Tempurature Range:** +0.0/+65.0 degrees celsius Average Life Rating In Hours: 10000.0 **Reference Frequency Per Function:** 37.0 kilohertz blank Input Impedance Per Function W/load: 10.0 kilohms blank **Output Impedance Per Function W/source Across Input:** 10.0 kilohms blank Mounting Facility Screw Thread Series Designator: Unc **Inclosure Type:** Encased Mounting Facility Type And Quantity: 2 threaded hole Insertion Loss At Reference Frequency Per Function In Decibels: 0.2 blank **Functional Terminal Type And Quantity:** 2 pin ground 3rd function **Specified Frequencies Of Discrimination Per Function:** 18.00 kilohertz blank and 27.00 kilohertz blank and 47.00 kilohertz blank and 70.00 kilohertz blank Thread Size: 0.086 inches **Frequency Band Width Per Function:** 27.00 kilohertz blank and 47.00 kilohertz blank **Discrimination At Specificationified Frequencies Per Function In Decibels:** 20.0 blank and 0.2 blank and 0.2 blank and 20.0 blank

## NSN 5915-00-478-5966

Band Pass Filter - Page 2 of 2



Style Designator:

Rectangular terminal/terminals on one surface

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A047b0