

View Online at https://aerobasegroup.com/nsn/5915-00-478-7274

Overall Length:
5.952 inches
Body Length:
4.000 inches
Body Outside Diameter:
2.243 inches
Vibration Resistance Range In Hertz:
+10.0/+2000.0
Operating Tempurature Range:
-55.0/+125.0 degrees celsius
Source Impedance Rating Per Function:
50.0 ohms blank
Load Impedance Per Function:
50.0 ohms blank
Power Line Frequency Rating Per Function In Hertz:
400.0 blank
Operating Current Rating Per Function In Amps:
37.0 blank
Maximum Voltage Drop Per Function:
0.5 millivolts ac blank
Principal Circuitry Type Per Function:
Inductance-capacitance blank
Maximum Tempurature Rise:
25.0 degrees celsius
Mounting Facility Screw Thread Series Designator:
Unef
Inclosure Type:
Encased
Mounting Facility Type And Quantity:
1 threaded bushing
Functional Terminal Type And Quantity:
1 tab w/screw input 1st function
Maximum Dielectric Withstanding Ac Rms Voltage:
250.0 volts at sea level and 156.25 volts at altitude
Operating Voltage Rating And Type Per Function:
125.0 volts ac blank and 400.0 volts dc blank
Thread Size:
0.125 inches
Body Material:
Metal
Maximum Dielectric Withstanding Dc Voltage:
800.0 volts at sea level and 500.0 volts at altitude

Radio Frequency Interference Filter - Page 2 of 2



## Unpackaged Unit Weight:

2.000 pounds

## Style Designator:

Round terminal/terminals on opposite surfaces

Shelf Life:

N/a

## Unit Of Measure:

---

## Demilitarization:

Yes - demil/mli

Fiig:

A047b0