## NSN 5915-00-484-2481

Band Pass Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5915-00-484-2481 **Body Length:** 3.000 inches **Body Width:** 1.750 inches **Body Height:** 1.250 inches **Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:** 2.625 inches Distance Between Centerlines Of Mounting Facilities Parallel To Body Width: 1.375 inches **Operating Tempurature Range:** -28.0/+80.0 degrees celsius **Reference Frequency Per Function:** 17.5 megahertz blank **Source Impedance Rating Per Function:** 50.0 ohms blank **Load Impedance Per Function:** 50.0 ohms blank **Mounting Facility Screw Thread Series Designator:** Unc **Inclosure Type:** Encased **Mounting Facility Type And Quantity:** 4 threaded stud Insertion Loss At Reference Frequency Per Function In Decibels: 12.0 blank **Functional Terminal Type And Quantity:** 1 connector, receptacle output 2nd function **Specified Frequencies Of Discrimination Per Function:** 16.615 megahertz blank and 17.25 megahertz blank and 17.75 megahertz blank and 18.385 megahertz blank **Thread Size:** 0.138 inches **Body Material:** Metal **Frequency Band Width Per Function:** 17.25 megahertz blank and 17.75 megahertz blank Discrimination At Specificationified Frequencies Per Function In Decibels:

20.0 blank and 3.0 blank and 3.0 blank and 20.0 blank

**Body Surface Treatment:** 

Tin

**Style Designator:** 

Rectangular terminal/terminals on opposite surfaces

## NSN 5915-00-484-2481

Band Pass Filter - Page 2 of 2



	<b>L</b> -	16		ife	_
3	ne	п	_	пе	Ξ

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A047b0