

View Online at <https://aerobasegroup.com/nsn/5915-00-501-4130>

Overall Height:

3.156 inches

Body Length:

2.375 inches

Body Width:

1.453 inches

Body Height:

2.594 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:

1.312 inches

Vibration Resistance Range In Hertz:

+10.0/+55.0

Operating Temperature Range:

-55.0/+105.0 degrees celsius

Average Life Rating In Hours:

1000.0

Reference Frequency Per Function:

1.0 kilohertz blank

Input Impedance Per Function W/load:

12.5 kilohms blank

Output Impedance Per Function W/source Across Input:

200.0 kilohms blank

Mounting Facility Screw Thread Series Designator:

Unf

Inclosure Type:

Encased

Mounting Facility Type And Quantity:

2 threaded stud

Insertion Loss At Reference Frequency Per Function In Decibels:

3.0 blank

Functional Terminal Type And Quantity:

2 tab, solder lug ground 3rd function

Maximum Dielectric Withstanding Ac Rms Voltage:

500.0 volts at sea level

Specified Frequencies Of Discrimination Per Function:

500.00 hertz blank and 950.00 hertz blank and 1.05 kilohertz blank and 2.00 kilohertz blank

Thread Size:

0.190 inches

Body Material:

Metal

Frequency Band Width Per Function:

950.00 hertz blank and 1.05 kilohertz blank

Discrimination At Specificationified Frequencies Per Function In Decibels:

20.0 blank and 6.0 blank and 6.0 blank and 20.0 blank

Style Designator:

Rectangular terminal/terminals on one surface

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A047b0