NSN 5915-00-501-4344

Low Pass Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5915-00-501-4344

Overall	Length:

- 5.469 inches
- **Overall Height:**
- 1.938 inches

Body Length:

- 4.583 inches
- **Body Width:**
- 1.000 inches
- **Body Height:**

1.313 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:

3.437 inches

Reference Frequency Per Function:

312.5 megahertz blank

Input Impedance Per Function W/load:

50.0 ohms blank

Output Impedance Per Function W/source Across Input:

50.0 ohms blank

Input Terminal Manufacturer Code:

80058

Input Terminal Identification:

Ug-58/u

Output Terminal Manufacturer Code:

80058

Output Terminal Identification:

Ug-21 b/u

Voltage Standing Wave Ratio Per Function:

1.3 blank

Mounting Facility Screw Thread Series Designator:

Unc

Inclosure Type:

Encased

Mounting Facility Type And Quantity:

2 threaded hole

Insertion Loss At Reference Frequency Per Function In Decibels:

0.3 blank

Functional Terminal Type And Quantity:

1 connector, receptacle input 1st function

Specified Frequencies Of Discrimination Per Function:

225.00 megahertz blank and 400.00 megahertz blank and 600.00 megahertz blank and 1.20 gigahertz blank

Thread Size:

0.138 inches

NSN 5915-00-501-4344

Low Pass Filter - Page 2 of 2



Body Material:	Bodv	Material:
----------------	------	-----------

Metal

Frequency Band Width Per Function:

225.00 megahertz blank and 400.00 megahertz blank

Discrimination At Specificationified Frequencies Per Function In Decibels:

1.0 blank and 1.0 blank and 55.0 blank and 55.0 blank

Body Surface Treatment:

Silver

Precious Material And Location:

Internal surfaces silver

Precious Material:

Silver

Style Designator:

Rectangular terminal/terminals on two surfaces

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A047b0