NSN 5915-00-506-7172

Low Pass Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5915-00-506-7172

Overall Length:
4.870 inches
Overall Height:
1.000 inches
Body Length:
4.620 inches
Body Width:
2.370 inches
Unthreaded Mounting Hole Diameter:
0.193 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:
4.375 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:
1.750 inches
Operating Tempurature Range:
-25.0/+160.0 degrees fahrenheit
Reference Frequency Per Function:
53.0 megahertz blank
Input Impedance Per Function W/load:
50.0 ohms blank
Output Impedance Per Function W/source Across Input:
50.0 ohms blank
Voltage Standing Wave Ratio Per Function:
1.5 blank
Inclosure Type:
Encased
Mounting Facility Type And Quantity:
4 unthreaded hole
Insertion Loss At Reference Frequency Per Function In Decibels:
0.5 blank
Functional Terminal Type And Quantity:
1 connector, receptacle output 2nd function
Specified Frequencies Of Discrimination Per Function:
30.00 megahertz blank and 76.00 megahertz blank and 116.00 megahertz blank and 400.00 megahertz blank
Frequency Band Width Per Function:
30.00 megahertz blank and 76.00 megahertz blank
Discrimination At Specificationified Frequencies Per Function In Decibels:
0.5 blank and 0.5 blank and 55.0 blank and 70.0 blank
Style Designator:
Rectangular terminal/terminals on opposite surfaces
Shalf Life:

N/a

NSN 5915-00-506-7172

Low Pass Filter - Page 2 of 2



	• •				
In	18	<i>(</i>)+	МЛО	201	ure:

--

Demilitarization:

No

Fiig:

A047b0