

View Online at <https://aerobasegroup.com/nsn/5915-00-513-2256>

Overall Height:

1.375 inches

Body Length:

2.812 inches

Body Width:

0.938 inches

Body Height:

1.000 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:

1.531 inches

Vibration Resistance Range In Hertz:

+10.0/+55.0

Operating Temperature Range:

-40.0/+85.0 degrees celsius

Reference Frequency Per Function:

500.0 kilohertz blank

Source Impedance Rating Per Function:

50.0 ohms blank

Load Impedance Per Function:

50.0 ohms blank

Principal Circuitry Type Per Function:

Electromechanical blank

Mounting Facility Screw Thread Series Designator:

Unc

Inclosure Type:

Encased

Mounting Facility Type And Quantity:

2 threaded stud

Insertion Loss At Reference Frequency Per Function In Decibels:

6.0 blank

Functional Terminal Type And Quantity:

2 tab, solder lug input 1st function

Specified Frequencies Of Discrimination Per Function:

498.25 kilohertz blank and 499.30 kilohertz blank and 500.70 kilohertz blank and 501.75 kilohertz blank

Thread Size:

0.112 inches

Frequency Band Width Per Function:

499.30 kilohertz blank and 500.70 kilohertz blank

Discrimination At Specificationified Frequencies Per Function In Decibels:

60.0 blank and 6.0 blank and 6.0 blank and 60.0 blank

Style Designator:

Rectangular terminal/terminals on one surface

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A047b0