

View Online at https://aerobasegroup.com/nsn/5915-00-513-2730

| Overall Length:  |
|--|
| 3.800 inches   |
| Overall Height:  |
| 1.500 inches   |
| Body Length:   |
| 2.500 inches   |
| Body Width:  |
| 2.000 inches   |
| Unthreaded Mounting Hole Diameter:   |
| 0.188 inches   |
| Distance Between Centerlines Of Mounting Facilities Parallel To Body Length: |
| 2.940 inches   |
| Source Impedance Rating Per Function:  |
| 50.0 ohms 2nd radio interference   |
| Load Impedance Per Function:   |
| 50.0 ohms 2nd radio interference   |
| Input Impedance Per Function W/load:   |
| 50.0 ohms 1st radio interference   |
| Output Impedance Per Function W/source Across Input:                         |
| 50.0 ohms 1st radio interference   |
| Power Line Frequency Rating Per Function In Hertz:                           |
| 60.0 2nd radio interference  |
| Operating Current Rating Per Function In Amps:                               |
| 10.0 2nd radio interference  |
| Principal Circuitry Type Per Function:                                       |
| Inductance-capacitance 2nd radio interference                                |
| Inclosure Type:  |
| Encased  |
| Mounting Facility Type And Quantity:   |
| 2 unthreaded hole  |
| Functional Terminal Type And Quantity:                                       |
| 2 threaded stud input 1st function   |
| Operating Voltage Rating And Type Per Function:                              |
| 230.0 volts ac 2nd radio interference 2nd function                           |
| Body Material:   |
| Metal  |
| Style Designator:  |
| Rectangular terminal/terminals on opposite surfaces                          |
| Shelf Life:  |
| N/a  |
| Unit Of Measure:   |
|  |

--



Demilitarization:

No

Fiig:

A047b0