NSN 5915-00-523-1960

Band Pass Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5915-00-523-1960

Overall Length:
1.406 inches
Overall Height:
3.375 inches
Overall Width:
1.000 inches
Body Outside Diameter:
0.775 inches
Body Height:
2.750 inches
Unthreaded Mounting Hole Diameter:
0.125 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:
1.125 inches
Operating Tempurature Range:
-40.0/+85.0 degrees celsius
Reference Frequency Per Function:
455.0 kilohertz blank
Principal Circuitry Type Per Function:
Inductance-capacitance-resistance blank
Distance Between Mounting Surface And Lower End:
0.875 inches
Inclosure Type:
Encased
Mounting Facility Type And Quantity:
2 unthreaded hole
Insertion Loss At Reference Frequency Per Function In Decibels:
2.5 blank
Functional Terminal Type And Quantity:
2 wire hook output 2nd function
Maximum Dielectric Withstanding Ac Rms Voltage:
500.0 kilovolts at sea level
Specified Frequencies Of Discrimination Per Function:
441.00 kilohertz blank and 448.20 kilohertz blank and 461.00 kilohertz blank and 469.00 kilohertz blank
Frequency Band Width Per Function:
448.20 kilohertz blank and 461.80 kilohertz blank
Discrimination At Specificationified Frequencies Per Function In Decibels:
60.0 blank and 2.5 blank and 60.0 blank
Style Designator:
Round terminal/terminals on opposite surfaces
Shelf Life:

N/a

NSN 5915-00-523-1960

Band Pass Filter - Page 2 of 2



Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A047b0