

View Online at https://aerobasegroup.com/nsn/5915-00-539-7587

## **Overall Length:**

Between 3.735 inches and 3.765 inches

## **Body Length:**

Between 2.175 inches and 2.361 inches

#### **Body Outside Diameter:**

Between 0.938 inches and 1.062 inches

#### Vibration Resistance Range In Hertz:

#### +10.0/+55.0

#### **Operating Tempurature Range:**

-55.0/+125.0 degrees celsius

#### Source Impedance Rating Per Function:

#### 50.0 ohms blank

Load Impedance Per Function:

#### 50.0 ohms blank

**Power Line Frequency Rating Per Function In Hertz:** 

60.0 blank

**Operating Current Rating Per Function In Amps:** 

1.0 blank and 1.0 blank

## Maximum Voltage Drop Per Function:

0.5 volts dc blank

## **Principal Circuitry Type Per Function:**

Inductance-capacitance blank

## **Maximum Tempurature Rise:**

25.0 degrees celsius

# Mounting Facility Screw Thread Series Designator:

Unf

#### **Inclosure Type:**

Hermetically sealed

# Mounting Facility Type And Quantity:

1 threaded bushing

#### **Features Provided:**

Nut and washer

## **Functional Terminal Type And Quantity:**

1 tab, solder lug output 2nd function

#### **Operating Voltage Rating And Type Per Function:**

250.0 volts ac blank and 600.0 volts dc blank

# Thread Size:

0.4375 inches

#### **Body Material:**

Metal

#### Maximum Dielectric Withstanding Dc Voltage:

1.2 kilovolts at sea level



Style Designator:

Round terminal/terminals on opposite surfaces

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A047b0