## NSN 5915-00-552-0842

Low Pass Filter - Page 1 of 2

AeroBase Group

View Online at https://aerobasegroup.com/nsn/5915-00-552-0842

Overall Height:

5.250 inches

**Body Length:** 

1.750 inches

**Body Width:** 

1.750 inches

**Body Height:** 

4.750 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:

1.000 inches

**Vibration Resistance Range In Hertz:** 

+10.0/+55.0

Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:

1.000 inches

**Operating Tempurature Range:** 

+20.0/+140.0 degrees fahrenheit

**Reference Frequency Per Function:** 

550.0 hertz blank

Input Impedance Per Function W/load:

3.5 kilohms blank

**Output Impedance Per Function W/source Across Input:** 

3.5 kilohms blank

**Mounting Facility Screw Thread Series Designator:** 

Unc

**Inclosure Type:** 

Hermetically sealed

**Mounting Facility Type And Quantity:** 

4 threaded stud

Insertion Loss At Reference Frequency Per Function In Decibels:

30.0 blank

**Functional Terminal Type And Quantity:** 

3 wire lead input 1st function

**Specified Frequencies Of Discrimination Per Function:** 

500.00 hertz blank and 600.00 hertz blank and 900.00 hertz blank and 1.50 kilohertz blank

**Thread Size:** 

0.164 inches

**Body Material:** 

Metal

**Frequency Band Width Per Function:** 

500.00 hertz blank and 600.00 hertz blank

Discrimination At Specificationified Frequencies Per Function In Decibels:

3.0 blank and 5.0 blank and 10.0 blank and 20.0 blank

## NSN 5915-00-552-0842

Low Pass Filter - Page 2 of 2



Body Surface Treatment:
Tin
Style Designator:
Rectangular terminal/terminals on one surface
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:

A047b0