NSN 5915-00-556-1521

High Pass Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5915-00-556-1521

Overall Length:
9.500 inches
Overall Height:
1.125 inches
Body Length:
8.000 inches
Body Width:
2.000 inches
Unthreaded Mounting Hole Diameter:
0.188 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:
9.000 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:
1.500 inches
Reference Frequency Per Function:
470.0 megahertz blank
Input Impedance Per Function W/load:
50.0 ohms blank
Output Impedance Per Function W/source Across Input:
50.0 ohms blank
Input Terminal Manufacturer Code:
80058
Input Terminal Identification:
Ug58/u
Output Terminal Manufacturer Code:
80058
Output Terminal Identification:
Ug58/u
Inclosure Type:
Encased
Mounting Facility Type And Quantity:
4 unthreaded hole
Insertion Loss At Reference Frequency Per Function In Decibels:
1.5 blank
Functional Terminal Type And Quantity:
1 connector, receptacle output 2nd function
Specified Frequencies Of Discrimination Per Function:
100.00 megahertz blank and 224.00 megahertz blank and 420.00 megahertz blank and 520.00 megahertz blank
Body Material:
Metal
Frequency Band Width Per Function:
420.00 megahertz blank and 520.00 megahertz blank

NSN 5915-00-556-1521

High Pass Filter - Page 2 of 2



Discrimination At Sp	ecificationified	Frequencies Pe	r Function	In Decibels:
----------------------	------------------	----------------	------------	--------------

270.0 blank and 70.0 blank and 1.5 blank and 1.5 blank

Voltage Standing Wave Ratio Frequency Limits Per Function:

420.0 megahertz blank and 451.0 megahertz blank and 450.0 megahertz blank and 520.0 megahertz blank

Body	Surfac	e Treatr	nent:
------	--------	----------	-------

Silver

Precious Material And Location:

Mtg tabs silver

Precious Material:

Silver

Style Designator:

Rectangular terminal/terminals on opposite surfaces

Test Data Document:

81349-cmilf8511 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A047b0