

View Online at <https://aerobasegroup.com/nsn/5915-00-563-1558>

**Overall Height:**

2.432 inches

**Body Length:**

1.500 inches

**Body Width:**

1.500 inches

**Body Height:**

2.242 inches

**Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:**

1.000 inches

**Vibration Resistance Range In Hertz:**

+30.0/+2000.0

**Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:**

1.000 inches

**Operating Temperature Range:**

-20.0/+80.0 degrees celsius

**Reference Frequency Per Function:**

900.0 hertz blank

**Source Impedance Rating Per Function:**

13.0 kilohms blank

**Load Impedance Per Function:**

100.0 kilohms blank

**Principal Circuitry Type Per Function:**

Inductance-capacitance blank

**Mounting Facility Screw Thread Series Designator:**

Unc

**Inclosure Type:**

Encased

**Mounting Facility Type And Quantity:**

4 threaded hole

**Insertion Loss At Reference Frequency Per Function In Decibels:**

3.0 blank

**Functional Terminal Type And Quantity:**

1 turret output 2nd function

**Specified Frequencies Of Discrimination Per Function:**

750.00 hertz blank and 880.00 hertz blank and 920.00 hertz blank and 2.70 kilohertz blank

**Thread Size:**

0.112 inches

**Frequency Band Width Per Function:**

880.00 hertz blank and 920.00 hertz blank

**Discrimination At Specificationified Frequencies Per Function In Decibels:**

40.0 blank and 3.0 blank and 3.0 blank and 40.0 blank

**Style Designator:**

Rectangular terminal/terminals on one surface

**Test Data Document:**

97942-579r629h04 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

Yes - demil/mli

**Fig:**

A047b0