

View Online at <https://aerobasegroup.com/nsn/5915-00-583-1931>

**Overall Height:**

4.765 inches

**Body Length:**

3.875 inches

**Body Width:**

3.312 inches

**Body Height:**

4.062 inches

**Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:**

2.875 inches

**Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:**

2.000 inches

**Operating Temperature Range:**

-40.0/+132.0 degrees fahrenheit

**Reference Frequency Per Function:**

29.3 kilohertz blank

**Input Impedance Per Function W/load:**

220.0 kilohms blank

**Output Impedance Per Function W/source Across Input:**

100.0 kilohms blank

**Principal Circuitry Type Per Function:**

Inductance-capacitance blank

**Mounting Facility Screw Thread Series Designator:**

Unc

**Inclosure Type:**

Hermetically sealed

**Mounting Facility Type And Quantity:**

4 threaded stud

**Insertion Loss At Reference Frequency Per Function In Decibels:**

2.0 blank

**Functional Terminal Type And Quantity:**

2 turret input 1st function

**Specified Frequencies Of Discrimination Per Function:**

25.30 kilohertz blank and 27.80 kilohertz blank and 30.80 kilohertz blank and 34.30 kilohertz blank

**Thread Size:**

0.250 inches

**Body Material:**

Metal

**Frequency Band Width Per Function:**

27.80 kilohertz blank and 30.80 kilohertz blank

**Discrimination At Specificationified Frequencies Per Function In Decibels:**

22.0 blank and 4.0 blank and 4.0 blank and 22.0 blank

**Body Surface Treatment:**

Tin

**Style Designator:**

Rectangular terminal/terminals on one surface

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A047b0