

View Online at <https://aerobasegroup.com/nsn/5915-00-583-1964>

Overall Length:

4.093 inches

Body Length:

Between 3.469 inches and 3.531 inches

Body Outside Diameter:

Between 0.760 inches and 0.790 inches

Vibration Resistance Range In Hertz:

+5.0/+500.0

Operating Temperature Range:

-40.0/+85.0 degrees celsius

Reference Frequency Per Function:

300.0 kilohertz blank

Load Impedance Per Function:

50.0 kilohms blank

Input Impedance Per Function W/load:

35.0 kilohms blank

Output Impedance Per Function W/source Across Input:

35.0 kilohms blank

Inclosure Type:

Hermetically sealed

Insertion Loss At Reference Frequency Per Function In Decibels:

15.0 blank

Functional Terminal Type And Quantity:

2 wire hook output 2nd function

Maximum Dielectric Withstanding Ac Rms Voltage:

500.0 volts at altitude

Specified Frequencies Of Discrimination Per Function:

295.80 kilohertz blank and 297.00 kilohertz blank and 299.65 kilohertz blank and 301.00 kilohertz blank

Frequency Band Width Per Function:

297.00 kilohertz blank and 299.00 kilohertz blank

Discrimination At Specificationified Frequencies Per Function In Decibels:

60.0 blank and 2.5 blank and 2.5 blank and 60.0 blank

Style Designator:

Round terminal/terminals on opposite surfaces

Test Data Document:

13499-526-9311-00 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A047b0