NSN 5915-00-589-4186

Low Pass Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5915-00-589-4186

Overall Height:

Between 2.328 inches and 2.360 inches

Body Length:

Between 3.969 inches and 4.000 inches

Body Width:

Between 0.719 inches and 0.750 inches

Body Height:

Between 1.969 inches and 2.000 inches

Operating Tempurature Range:

-30.0/+55.0 degrees celsius

Reference Frequency Per Function:

250.0 hertz blank

Source Impedance Rating Per Function:

4000.0 kilohms blank

Load Impedance Per Function:

4000.0 kilohms blank

Input Impedance Per Function W/load:

4000.0 kilohms blank

Output Impedance Per Function W/source Across Input:

4000.0 kilohms blank

Principal Circuitry Type Per Function:

Inductance-capacitance blank

Mounting Facility Screw Thread Series Designator:

Unc

Inclosure Type:

Hermetically sealed

Mounting Facility Type And Quantity:

4 threaded stud

Insertion Loss At Reference Frequency Per Function In Decibels:

1.0 blank

Functional Terminal Type And Quantity:

2 tab, solder lug ground 3rd function

Specified Frequencies Of Discrimination Per Function:

0.00 hertz blank and 400.00 hertz blank and 700.00 hertz blank and 701.00 hertz blank

Thread Size:

0.138 inches

Frequency Band Width Per Function:

400.00 hertz blank and 700.00 hertz blank

Discrimination At Specificationified Frequencies Per Function In Decibels:

1.0 blank and 1.0 blank and 25.0 blank and 25.0 blank

Style Designator:

Rectangular terminal/terminals on one surface

NSN 5915-00-589-4186

Low Pass Filter - Page 2 of 2



	Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A047b0