NSN 5915-00-593-5544

Radio Frequency Interference Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5915-00-593-5544

| Overall Length: |
|--|
| 7.000 inches |
| Overall Height: |
| 2.500 inches |
| Body Length: |
| 6.000 inches |
| Body Width: |
| 6.000 inches |
| Unthreaded Mounting Hole Diameter: |
| 0.196 inches |
| Distance Between Centerlines Of Mounting Facilities Parallel To Body Length: |
| 6.500 inches |
| Distance Between Centerlines Of Mounting Facilities Parallel To Body Width: |
| 5.000 inches |
| Operating Tempurature Range: |
| -55.0/+85.0 degrees celsius |
| Average Life Rating In Hours: |
| 10000.0 |
| Source Impedance Rating Per Function: |
| 50.0 ohms 4th radio interference |
| Load Impedance Per Function: |
| 50.0 ohms 4th radio interference |
| Power Line Frequency Rating Per Function In Hertz: |
| |

440.0 4th radio interference

Operating Current Rating Per Function In Amps:

5.0 3rd radio interference

Maximum Voltage Drop Per Function:

2.4 volts ac 4th radio interference

Principal Circuitry Type Per Function:

Inductance-capacitance 3rd radio interference

Inclosure Type:

Hermetically sealed

Mounting Facility Type And Quantity:

6 unthreaded hole

Functional Terminal Type And Quantity:

4 wire lead input and 4 wire lead output and 1 threaded stud ground

Operating Voltage Rating And Type Per Function:

130.0 volts ac 3rd radio interference 3rd function

Body Material:

Metal

Style Designator:

Rectangular terminal/terminals on opposite surfaces

NSN 5915-00-593-5544

Radio Frequency Interference Filter - Page 2 of 2



| Shelf Life: |
|------------------|
| N/a |
| Unit Of Measure: |
| |
| |

Demilitarization:

No

Fiig:

A047b0