NSN 5915-00-605-6668

Low Pass Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5915-00-605-6668

Overall Height:
1.130 inches
Body Length:
3.600 inches
Body Width:
3.100 inches
Body Height:
0.750 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:
3.125 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:
2.750 inches
Operating Tempurature Range:
+0.0/+50.0 degrees celsius
Reference Frequency Per Function:
252.0 kilohertz blank
Source Impedance Rating Per Function:
500.0 ohms blank
Load Impedance Per Function:
500.0 ohms blank
Mounting Facility Screw Thread Series Designator:
Unc
Inclosure Type:
Encased
Mounting Facility Type And Quantity:
4 threaded hole
Insertion Loss At Reference Frequency Per Function In Decibels:
7.0 blank
Functional Terminal Type And Quantity:
2 pin ground 3rd function
Specified Frequencies Of Discrimination Per Function:
251.775 kilohertz blank and 252.225 kilohertz blank and 256.20 kilohertz blank and 10.00 megahertz blank
Thread Size:
0.112 inches
Body Material:
Metal
Frequency Band Width Per Function:
251.775 kilohertz blank and 252.225 kilohertz blank
Discrimination At Specificationified Frequencies Per Function In Decibels:
1.0 blank and 1.0 blank and 50.0 blank and 50.0 blank
Body Surface Treatment:

Tin

NSN 5915-00-605-6668

Low Pass Filter - Page 2 of 2



Style Designator:
Rectangular terminal/to

Rectangular terminal/terminals on one surface

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A047b0