NSN 5915-00-605-6668

Low Pass Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5915-00-605-6668

Overall Height:

1.130 inches

Body Length:

3.600 inches

Body Width:

3.100 inches

Body Height:

0.750 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:

3.125 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:

2.750 inches

Operating Tempurature Range:

+0.0/+50.0 degrees celsius

Reference Frequency Per Function:

252.0 kilohertz blank

Source Impedance Rating Per Function:

500.0 ohms blank

Load Impedance Per Function:

500.0 ohms blank

Mounting Facility Screw Thread Series Designator:

Unc

Inclosure Type:

Encased

Mounting Facility Type And Quantity:

4 threaded hole

Insertion Loss At Reference Frequency Per Function In Decibels:

7.0 blank

Functional Terminal Type And Quantity:

2 pin ground 3rd function

Specified Frequencies Of Discrimination Per Function:

251.775 kilohertz blank and 252.225 kilohertz blank and 256.20 kilohertz blank and 10.00 megahertz blank

Thread Size:

0.112 inches

Body Material:

Metal

Frequency Band Width Per Function:

251.775 kilohertz blank and 252.225 kilohertz blank

Discrimination At Specificationified Frequencies Per Function In Decibels:

1.0 blank and 1.0 blank and 50.0 blank and 50.0 blank

Body Surface Treatment:

NSN 5915-00-605-6668

Low Pass Filter - Page 2 of 2



Style Designator:

Rectangular terminal/terminals on one surface

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A047b0