

View Online at <https://aerobasegroup.com/nsn/5915-00-617-4247>

Overall Height:

3.125 inches

Body Length:

1.938 inches

Body Width:

1.812 inches

Body Height:

2.750 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:

1.375 inches

Vibration Resistance Range In Hertz:

+10.0/+500.0

Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:

1.250 inches

Reference Frequency Per Function:

29.3 single radio interference two phase to two phase

Input Impedance Per Function W/load:

100.0 kilohms 2nd band pass

Output Impedance Per Function W/source Across Input:

100.0 kilohms 2nd band pass

Principal Circuitry Type Per Function:

Inductance-capacitance 2nd band pass 2nd function

Mounting Facility Screw Thread Series Designator:

Unc

Inclosure Type:

Hermetically sealed

Mounting Facility Type And Quantity:

4 threaded stud

Insertion Loss At Reference Frequency Per Function In Decibels:

6.0 2nd band pass

Functional Terminal Type And Quantity:

2 wire hook output 2nd function

Specified Frequencies Of Discrimination Per Function:

27.80 kilohertz 1st band pass 1st function and 28.55 kilohertz 1st band pass 1st function and 30.05 kilohertz 1st band pass 1st function and 30.80 kilohertz 1st band pass 1st function

Thread Size:

0.138 inches

Body Material:

Metal

Frequency Band Width Per Function:

28.55 kilohertz 1st band pass and 30.05 kilohertz 1st band pass

Discrimination At Specificationified Frequencies Per Function In Decibels:

34.0 1st band pass 1st function and 3.0 1st band pass 1st function and 3.0 1st band pass 1st function and 34.0 1st band pass 1st function

Style Designator:

Rectangular terminal/terminals on one surface

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A047b0