

View Online at <https://aerobasegroup.com/nsn/5915-00-632-8959>

Overall Height:

4.625 inches

Body Length:

3.062 inches

Body Width:

2.625 inches

Body Height:

4.250 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:

2.296 inches

Vibration Resistance Range In Hertz:

+10.0/+55.0

Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:

1.859 inches

Operating Temperature Range:

+15.0/+55.0 degrees celsius

Average Life Rating In Hours:

10000.0

Reference Frequency Per Function:

400.0 hertz blank

Input Impedance Per Function W/load:

400.0 ohms blank

Output Impedance Per Function W/source Across Input:

400.0 ohms blank

Mounting Facility Screw Thread Series Designator:

Unc

Inclosure Type:

Encased

Mounting Facility Type And Quantity:

4 threaded stud

Insertion Loss At Reference Frequency Per Function In Decibels:

3.0 blank

Functional Terminal Type And Quantity:

1 turret output 2nd function

Maximum Dielectric Withstanding Ac Rms Voltage:

1.5 kilovolts at sea level

Specified Frequencies Of Discrimination Per Function:

60.00 hertz blank and 390.00 hertz blank and 410.00 hertz blank and 4.00 kilohertz blank

Thread Size:

0.164 inches

Body Material:

Metal

Frequency Band Width Per Function:

390.00 hertz blank and 410.00 hertz blank

Discrimination At Specificationified Frequencies Per Function In Decibels:

40.0 blank and 3.0 blank and 3.0 blank and 40.0 blank

Unpackaged Unit Weight:

3.000 pounds

Style Designator:

Rectangular terminal/terminals on one surface

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A047b0