## NSN 5915-00-632-8959

Band Pass Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5915-00-632-8959

Overall Height:
4.625 inches
Body Length:
3.062 inches
Body Width:
2.625 inches
Body Height:
4.250 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:
2.296 inches
Vibration Resistance Range In Hertz:
+10.0/+55.0
Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:
1.859 inches
Operating Tempurature Range:
+15.0/+55.0 degrees celsius
Average Life Rating In Hours:
10000.0
Reference Frequency Per Function:
400.0 hertz blank
Input Impedance Per Function W/load:
400.0 ohms blank
Output Impedance Per Function W/source Across Input:
400.0 ohms blank
Mounting Facility Screw Thread Series Designator:
Unc
Inclosure Type:
Encased
Mounting Facility Type And Quantity:
4 threaded stud
Insertion Loss At Reference Frequency Per Function In Decibels:
3.0 blank
Functional Terminal Type And Quantity:
1 turret output 2nd function
Maximum Dielectric Withstanding Ac Rms Voltage:
1.5 kilovolts at sea level
Specified Frequencies Of Discrimination Per Function:
60.00 hertz blank and 390.00 hertz blank and 410.00 hertz blank and 4.00 kilohertz blank
Thread Size:
0.164 inches
Body Material:
Metal

## NSN 5915-00-632-8959

Band Pass Filter - Page 2 of 2



## **Frequency Band Width Per Function:**

390.00 hertz blank and 410.00 hertz blank

Discrimination At Specificationified Frequencies Per Function In Decibels:

40.0 blank and 3.0 blank and 3.0 blank and 40.0 blank

**Unpackaged Unit Weight:** 

3.000 pounds

Style Designator:

Rectangular terminal/terminals on one surface

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

Yes - demil/mli

Fiig:

A047b0