

View Online at <https://aerobasegroup.com/nsn/5915-00-636-2506>

Overall Height:

3.156 inches

Body Length:

1.906 inches

Body Width:

1.016 inches

Body Height:

2.750 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:

1.312 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:

Between 0.546 inches and 0.578 inches

Operating Temperature Range:

-40.0/+85.0 degrees celsius

Reference Frequency Per Function:

800.0 hertz blank

Source Impedance Rating Per Function:

600.0 ohms blank

Load Impedance Per Function:

600.0 ohms blank

Input Impedance Per Function W/load:

600.0 ohms blank

Output Impedance Per Function W/source Across Input:

600.0 ohms blank

Mounting Facility Screw Thread Series Designator:

Unc

Inclosure Type:

Hermetically sealed

Mounting Facility Type And Quantity:

4 threaded stud

Insertion Loss At Reference Frequency Per Function In Decibels:

5.5 blank

Functional Terminal Type And Quantity:

1 solder stud input 1st function

Specified Frequencies Of Discrimination Per Function:

660.00 hertz blank and 735.00 hertz blank and 865.00 hertz blank and 930.00 hertz blank

Thread Size:

0.138 inches

Frequency Band Width Per Function:

735.00 hertz blank and 865.00 hertz blank

Discrimination At Specificationified Frequencies Per Function In Decibels:

30.0 blank and 6.0 blank and 6.0 blank and 30.0 blank

Maximum Dielectric Withstanding Dc Voltage:

100.0 volts at sea level

Style Designator:

Rectangular terminal/terminals on one surface

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A047b0