NSN 5915-00-643-8277

Band Pass Filter - Page 1 of 2



view Online at https://aerobasegroup.com/hsh/5915-00-643-6277
Overall Height:
2.937 inches
Body Length:
3.812 inches
Body Width:
1.250 inches
Body Height:
2.562 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:
2.047 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:
0.609 inches
Operating Tempurature Range:
-40.0/+85.0 degrees celsius
Reference Frequency Per Function:
200.0 single radio interference two phase to two phase
Input Impedance Per Function W/load:
30.0 kilohms 2nd band pass
Output Impedance Per Function W/source Across Input:
30.0 kilohms 2nd band pass
Mounting Facility Screw Thread Series Designator:
Unc
Inclosure Type:
Hermetically sealed
Mounting Facility Type And Quantity:
4 threaded stud
Insertion Loss At Reference Frequency Per Function In Decibels:
3.0 2nd band pass
Functional Terminal Type And Quantity:
3 turret output 2nd function
Specified Frequencies Of Discrimination Per Function:
198.75 kilohertz 1st band pass 1st function and 199.50 kilohertz 1st band pass 1st function and 200.50 kilohertz 1st band pass 1st function
and 201.25 kilohertz 1st band pass 1st function
Thread Size:
0.138 inches
Frequency Band Width Per Function:
198.50 kilohertz 2nd band pass and 201.50 kilohertz 2nd band pass
Discrimination At Specificationified Frequencies Per Function In Decibels:
60.0. 2nd hand hass 2nd function and 6.0. 2nd hand has 2nd function and 6.0.

Style Designator:

Rectangular terminal/terminals on one surface

Shelf Life:

function

N/a

NSN 5915-00-643-8277

Band Pass Filter - Page 2 of 2



		• •			
ш	ın	10	<i>(</i>)+	Measure:	

--

Demilitarization:

No

Fiig:

A047b0