# NSN 5915-00-675-0090

Band Pass Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5915-00-675-0090

# **Overall Height:**

4.130 inches

#### **Body Length:**

1.770 inches

# Body Width:

1.770 inches

#### **Body Height:**

#### 3.640 inches

# Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:

1.000 inches

# Vibration Resistance Range In Hertz:

+5.0/+500.0

#### **Operating Tempurature Range:**

-35.0/+75.0 degrees celsius

#### **Reference Frequency Per Function:**

192.0 kilohertz blank

# Input Impedance Per Function W/load:

5.0 kilohms blank

#### **Output Impedance Per Function W/source Across Input:**

100.0 kilohms blank

# Mounting Facility Screw Thread Series Designator:

Unc

#### Inclosure Type:

Hermetically sealed

# Mounting Facility Type And Quantity:

2 threaded stud

#### Insertion Loss At Reference Frequency Per Function In Decibels:

4.0 blank

#### Functional Terminal Type And Quantity:

2 tab, solder lug output 2nd function

#### **Specified Frequencies Of Discrimination Per Function:**

182.00 kilohertz blank and 190.00 kilohertz blank and 194.00 kilohertz blank and 202.00 kilohertz blank

#### Thread Size:

0.164 inches

#### **Body Material:**

Metal

#### Frequency Band Width Per Function:

190.00 kilohertz blank and 194.00 kilohertz blank

# Discrimination At Specificationified Frequencies Per Function In Decibels:

 $32.0\,$  blank and  $5.0\,$  blank and  $5.0\,$  blank and  $52.0\,$  blank

# Maximum Dielectric Withstanding Dc Voltage:

500.0 volts at sea level

# NSN 5915-00-675-0090

Band Pass Filter - Page 2 of 2



Style Designator:

Rectangular terminal/terminals on one surface

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A047b0