

View Online at <https://aerobasegroup.com/nsn/5915-00-675-0090>

**Overall Height:**

4.130 inches

**Body Length:**

1.770 inches

**Body Width:**

1.770 inches

**Body Height:**

3.640 inches

**Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:**

1.000 inches

**Vibration Resistance Range In Hertz:**

+5.0/+500.0

**Operating Temperature Range:**

-35.0/+75.0 degrees celsius

**Reference Frequency Per Function:**

192.0 kilohertz blank

**Input Impedance Per Function W/load:**

5.0 kilohms blank

**Output Impedance Per Function W/source Across Input:**

100.0 kilohms blank

**Mounting Facility Screw Thread Series Designator:**

Unc

**Inclosure Type:**

Hermetically sealed

**Mounting Facility Type And Quantity:**

2 threaded stud

**Insertion Loss At Reference Frequency Per Function In Decibels:**

4.0 blank

**Functional Terminal Type And Quantity:**

2 tab, solder lug output 2nd function

**Specified Frequencies Of Discrimination Per Function:**

182.00 kilohertz blank and 190.00 kilohertz blank and 194.00 kilohertz blank and 202.00 kilohertz blank

**Thread Size:**

0.164 inches

**Body Material:**

Metal

**Frequency Band Width Per Function:**

190.00 kilohertz blank and 194.00 kilohertz blank

**Discrimination At Specificationified Frequencies Per Function In Decibels:**

32.0 blank and 5.0 blank and 5.0 blank and 52.0 blank

**Maximum Dielectric Withstanding Dc Voltage:**

500.0 volts at sea level

**Style Designator:**

Rectangular terminal/terminals on one surface

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A047b0