NSN 5915-00-681-7674

Low Pass Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5915-00-681-7674

Overall Height:
2.188 inches
Body Length:
1.312 inches
Body Width:
1.312 inches
Body Height:
1.750 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:
0.891 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:
0.891 inches
Operating Tempurature Range:
-0.0/+85.0 degrees celsius
Reference Frequency Per Function:
4.9 kilohertz blank
Input Impedance Per Function W/load:
600.0 ohms blank
Output Impedance Per Function W/source Across Input:
600.0 ohms blank
Principal Circuitry Type Per Function:
Inductance-capacitance blank
Mounting Facility Screw Thread Series Designator:
Unc
Inclosure Type:
Encased
Mounting Facility Type And Quantity:
4 threaded stud
Insertion Loss At Reference Frequency Per Function In Decibels:
0.5 blank
Functional Terminal Type And Quantity:
2 tab, solder lug output 2nd function
Specified Frequencies Of Discrimination Per Function:
100.00 hertz blank and 10.00 kilohertz blank and 100.00 kilohertz blank and 500.00 kilohertz blank
Thread Size:
0.138 inches
Frequency Band Width Per Function:
100.00 hertz blank and 10.00 kilohertz blank
Discrimination At Specificationified Frequencies Per Function In Decibels:
0.5 blank and 0.5 blank and 35.0 blank and 35.0 blank

Style Designator:

Rectangular terminal/terminals on one surface

NSN 5915-00-681-7674

Low Pass Filter - Page 2 of 2



_			•		
•	n	ο.	•	18	e:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A047b0