NSN 5915-00-683-3732

Band Pass Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5915-00-683-3732

Overall Height:
3.540 inches
Body Length:
6.260 inches
Body Width:
3.040 inches
Body Height:
3.040 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:
5.100 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:
2.380 inches
Operating Tempurature Range:
+0.0/+85.0 degrees celsius
Reference Frequency Per Function:
1.9 single radio interference two phase to two phase
Input Impedance Per Function W/load:
600.0 ohms 2nd band pass
Output Impedance Per Function W/source Across Input:
600.0 ohms 2nd band pass
Mounting Facility Screw Thread Series Designator:
Unf
Inclosure Type:
Encased
Mounting Facility Type And Quantity:
4 threaded stud
Insertion Loss At Reference Frequency Per Function In Decibels:
1.5 2nd band pass
Functional Terminal Type And Quantity:
4 tab, solder lug output 2nd function
Specified Frequencies Of Discrimination Per Function:
100.00 hertz 2nd band pass 2nd function and 300.00 hertz 2nd band pass 2nd function and 3.50 kilohertz 2nd band pass 2nd function and
5.00 kilohertz 2nd band pass 2nd function
Thread Size:
0.190 inches
Body Material:
Metal
Frequency Band Width Per Function:
300.00 hertz 2nd band pass and 3.50 kilohertz 2nd band pass
Discrimination At Specificationified Frequencies Per Function In Decibels:

40.0 2nd band pass 2nd function and 1.5 2nd band pass 2nd function and 1.5 2nd band pass 2nd function and 40.0 2nd band pass 2nd

Style Designator:

function

Rectangular terminal/terminals on one surface

NSN 5915-00-683-3732

Band Pass Filter - Page 2 of 2



_			•		
•	n	ο.	•	18	e:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A047b0