

View Online at <https://aerobasegroup.com/nsn/5915-00-686-1525>

Body Length:

3.500 inches

Body Width:

1.438 inches

Body Height:

3.000 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:

3.000 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:

0.938 inches

Operating Temperature Range:

+0.0/+65.0 degrees celsius

Reference Frequency Per Function:

2.295 kilohertz blank

Source Impedance Rating Per Function:

600.0 ohms blank

Load Impedance Per Function:

600.0 ohms blank

Input Impedance Per Function W/load:

2.21 kilohms blank

Output Impedance Per Function W/source Across Input:

2.38 kilohms blank

Mounting Facility Screw Thread Series Designator:

Unc

Inclosure Type:

Hermetically sealed

Mounting Facility Type And Quantity:

4 threaded hole

Insertion Loss At Reference Frequency Per Function In Decibels:

10.0 blank

Functional Terminal Type And Quantity:

3 solder stud ground 3rd function

Specified Frequencies Of Discrimination Per Function:

2.125 kilohertz blank and 2.21 kilohertz blank and 2.38 kilohertz blank and 2.295 kilohertz blank

Thread Size:

0.138 inches

Body Material:

Metal

Frequency Band Width Per Function:

2.210 kilohertz blank and 2.380 kilohertz blank

Discrimination At Specificationified Frequencies Per Function In Decibels:

40.0 blank and 2.0 blank and 2.0 blank and 40.0 blank

Unpackaged Unit Weight:

18.000 ounces

Style Designator:

Rectangular terminal/terminals on one surface

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A047b0