

View Online at <https://aerobasegroup.com/nsn/5915-00-688-5736>

**Overall Height:**

Between 1.876 inches and 2.124 inches

**Body Length:**

Between 1.626 inches and 1.750 inches

**Body Width:**

Between 1.126 inches and 1.250 inches

**Body Height:**

Between 1.563 inches and 1.687 inches

**Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:**

Between 1.198 inches and 1.312 inches

**Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:**

Between 0.698 inches and 0.812 inches

**Reference Frequency Per Function:**

2.0 kilohertz blank

**Input Impedance Per Function W/load:**

10.0 kilohms blank

**Output Impedance Per Function W/source Across Input:**

10.0 kilohms blank

**Mounting Facility Screw Thread Series Designator:**

Unc

**Inclosure Type:**

Hermetically sealed

**Mounting Facility Type And Quantity:**

4 threaded stud

**Insertion Loss At Reference Frequency Per Function In Decibels:**

2.0 blank

**Functional Terminal Type And Quantity:**

1 solder stud input 1st function

**Specified Frequencies Of Discrimination Per Function:**

1.00 kilohertz blank and 1.94 kilohertz blank and 2.06 kilohertz blank and 3.00 kilohertz blank

**Thread Size:**

0.138 inches

**Body Material:**

Metal

**Frequency Band Width Per Function:**

1.940 kilohertz blank and 2.060 kilohertz blank

**Discrimination At Specificationified Frequencies Per Function In Decibels:**

40.0 blank and 3.0 blank and 3.0 blank and 40.0 blank

**Style Designator:**

Rectangular terminal/terminals on one surface

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A047b0