

View Online at <https://aerobasegroup.com/nsn/5915-00-689-9603>

Body Length:

0.750 inches

Body Width:

0.750 inches

Body Height:

1.125 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:

0.563 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:

0.563 inches

Reference Frequency Per Function:

7.5 kilohertz blank

Source Impedance Rating Per Function:

10.0 kilohms blank

Load Impedance Per Function:

10.0 kilohms blank

Input Impedance Per Function W/load:

10.0 kilohms blank

Output Impedance Per Function W/source Across Input:

10.0 kilohms blank

Mounting Facility Screw Thread Series Designator:

Unc

Inclosure Type:

Hermetically sealed

Mounting Facility Type And Quantity:

4 threaded stud

Insertion Loss At Reference Frequency Per Function In Decibels:

0.0 blank

Functional Terminal Type And Quantity:

1 pin ground 3rd function

Specified Frequencies Of Discrimination Per Function:

0.00 kilohertz blank and 15.00 kilohertz blank and 22.50 kilohertz blank and 22.50 kilohertz blank

Thread Size:

0.112 inches

Frequency Band Width Per Function:

0.00 kilohertz blank and 15.00 kilohertz blank

Discrimination At Specificationified Frequencies Per Function In Decibels:

6.0 blank and 6.0 blank and 30.0 blank and 30.0 blank

Style Designator:

Rectangular terminal/terminals on one surface

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A047b0