## NSN 5915-00-695-9342

Band Suppression Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5915-00-695-9342 **Body Length:** 1.750 inches **Body Width:** 1.750 inches **Body Height:** 2.750 inches **Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:** 1.250 inches Distance Between Centerlines Of Mounting Facilities Parallel To Body Width: 1.250 inches **Reference Frequency Per Function:** 190.0 2nd high pass two phase to two phase Input Impedance Per Function W/load: 10.0 kilohms 2nd band suppression **Output Impedance Per Function W/source Across Input:** 1.0 megohms 2nd band suppression **Mounting Facility Screw Thread Series Designator:** Unc **Inclosure Type:** Hermetically sealed **Mounting Facility Type And Quantity:** 4 threaded stud Insertion Loss At Reference Frequency Per Function In Decibels: 6.0 2nd band suppression **Functional Terminal Type And Quantity:** 1 tab, solder lug output 2nd function **Specified Frequencies Of Discrimination Per Function:** 1.00 hertz 2nd band suppression and 120.00 hertz 2nd band suppression and 280.00 hertz 2nd band suppression and 20.00 kilohertz 2nd band suppression **Body Material:** Metal **Frequency Band Width Per Function:** 60.00 hertz 1st band suppression and 240.00 hertz 1st band suppression Discrimination At Specificationified Frequencies Per Function In Decibels: 1.0 2nd band suppression and 40.0 2nd band suppression and 40.0 2nd band suppression and 1.0 1st band suppression Style Designator: Rectangular terminal/terminals on one surface Shelf Life: N/a **Unit Of Measure:** 

No

**Demilitarization:** 

## NSN 5915-00-695-9342

Band Suppression Filter - Page 2 of 2



Fiig:

A047b0