

View Online at https://aerobasegroup.com/nsn/5915-00-702-5905

| Overall Length: |
|---|
| 2.938 inches |
| Body Length: |
| 2.031 inches |
| Body Outside Diameter: |
| 1.000 inches |
| Vibration Resistance Range In Hertz: |
| +10.0/+2000.0 |
| Operating Tempurature Range: |
| -55.0/+125.0 degrees celsius |
| Source Impedance Rating Per Function: |
| 50.0 ohms blank |
| Load Impedance Per Function: |
| 50.0 ohms blank |
| Power Line Frequency Rating Per Function In Hertz: |
| 1000.0 blank |
| Operating Current Rating Per Function In Amps: |
| 2.5 blank |
| Maximum Voltage Drop Per Function: |
| 0.3 volts dc blank |
| Principal Circuitry Type Per Function: |
| Inductance-capacitance blank |
| Mounting Facility Screw Thread Series Designator: |
| Unf |
| Inclosure Type: |
| Hermetically sealed |
| Mounting Facility Type And Quantity: |
| 1 threaded bushing |
| Features Provided: |
| Nut and washer |
| Functional Terminal Type And Quantity: |
| 1 tab, solder lug output 2nd function |
| Maximum Dielectric Withstanding Ac Rms Voltage: |
| 250.0 volts at sea level and 143.75 volts at altitude |
| Operating Voltage Rating And Type Per Function: |
| 125.0 volts ac blank and 300.0 volts dc blank |
| Thread Size: |
| 0.438 inches |
| Body Material: |
| Metal |
| |
| Maximum Dielectric Withstanding Dc Voltage: |

600.0 volts at sea level and 375.0 volts at altitude



Style Designator:

Round terminal/terminals on opposite surfaces

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A047b0