

View Online at <https://aerobasegroup.com/nsn/5915-00-724-6636>

Overall Length:

3.500 inches

Body Length:

3.000 inches

Body Width:

2.812 inches

Body Height:

1.016 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:

2.188 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:

2.188 inches

Operating Temperature Range:

-10.0/+65.0 degrees celsius

Reference Frequency Per Function:

480.0 kilohertz blank

Input Impedance Per Function W/load:

600.0 ohms blank

Output Impedance Per Function W/source Across Input:

600.0 ohms blank

Mounting Facility Screw Thread Series Designator:

Unc

Inclosure Type:

Hermetically sealed

Mounting Facility Type And Quantity:

4 threaded hole

Insertion Loss At Reference Frequency Per Function In Decibels:

3.0 blank

Functional Terminal Type And Quantity:

2 tab, solder lug ground 3rd function

Maximum Dielectric Withstanding Ac Rms Voltage:

500.0 volts at sea level

Specified Frequencies Of Discrimination Per Function:

108.00 kilohertz blank and 456.00 kilohertz blank and 504.00 kilohertz blank and 564.00 kilohertz blank

Thread Size:

0.138 inches

Body Material:

Metal

Frequency Band Width Per Function:

456.00 kilohertz blank and 504.00 kilohertz blank

Discrimination At Specificationified Frequencies Per Function In Decibels:

55.0 blank and 3.0 blank and 3.0 blank and 55.0 blank

Special Features:

Terminals on one surface

Style Designator:

Rectangular terminal/terminals on opposite surfaces

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fig:

A047b0