## NSN 5915-00-724-9750

Low Pass Filter - Page 1 of 2



view Online at https://aerobasegroup.com/nsn/5915-00-724-9750
Overall Length:
Between 1.828 inches and 1.922 inches
Body Length:
Between 1.046 inches and 1.078 inches
Reference Frequency Per Function:
1.0 megahertz blank
Source Impedance Rating Per Function:
50.0 ohms blank
Load Impedance Per Function:
50.0 ohms blank
Input Impedance Per Function W/load:
50.0 ohms blank
Output Impedance Per Function W/source Across Input:
50.0 ohms blank
Mounting Facility Screw Thread Series Designator:
Unf
Inclosure Type:
Hermetically sealed
Mounting Facility Type And Quantity:
1 threaded bushing
Insertion Loss At Reference Frequency Per Function In Decibels:
0.5 blank
Functional Terminal Type And Quantity:
1 turret output 2nd function
Specified Frequencies Of Discrimination Per Function:
0.00 hertz blank and 3.00 megahertz blank and 25.00 megahertz blank and 500.00 megahertz blank
Thread Size:
0.250 inches
Frequency Band Width Per Function:
0.00 hertz blank and 3.00 megahertz blank
Discrimination At Specificationified Frequencies Per Function In Decibels:
0.5 blank and 0.5 blank and 90.0 blank and 90.0 blank
Maximum Dielectric Withstanding Dc Voltage:
1000.0 volts at sea level
Style Designator:
Round terminal/terminals on opposite surfaces
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:

No

## NSN 5915-00-724-9750

Low Pass Filter - Page 2 of 2



Fiig:

A047b0