

View Online at <https://aerobasegroup.com/nsn/5915-00-727-2601>

Overall Length:

2.244 inches

Body Length:

1.969 inches

Body Width:

0.719 inches

Body Height:

1.016 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:

0.650 inches

Vibration Resistance Range In Hertz:

+10.0/+300.0

Operating Temperature Range:

-55.0/+85.0 degrees celsius

Reference Frequency Per Function:

114.4 megahertz blank

Input Impedance Per Function W/load:

1.0 kilohms blank

Output Impedance Per Function W/source Across Input:

100.0 ohms blank

Mounting Facility Screw Thread Series Designator:

Unc

Inclosure Type:

Hermetically sealed

Mounting Facility Type And Quantity:

2 threaded stud

Insertion Loss At Reference Frequency Per Function In Decibels:

3.0 blank

Functional Terminal Type And Quantity:

1 tab, solder lug output 2nd function

Specified Frequencies Of Discrimination Per Function:

94.90 megahertz blank and 109.90 megahertz blank and 123.90 megahertz blank and 133.90 megahertz blank

Thread Size:

0.112 inches

Body Material:

Metal

Frequency Band Width Per Function:

104.90 megahertz blank and 123.90 megahertz blank

Discrimination At Specificationified Frequencies Per Function In Decibels:

30.0 blank and 2.0 blank and 2.0 blank and 30.0 blank

Body Surface Treatment:

Tin

Style Designator:

Rectangular terminal/terminals on opposite surfaces

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A047b0