

View Online at <https://aerobasegroup.com/nsn/5915-00-760-1896>

Overall Height:

1.203 inches

Body Length:

5.250 inches

Body Width:

2.062 inches

Body Height:

1.062 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:

4.700 inches

Operating Temperature Range:

-10.0/+60.0 degrees celsius

Reference Frequency Per Function:

6.8 kilohertz blank

Source Impedance Rating Per Function:

600.0 ohms blank

Load Impedance Per Function:

600.0 ohms blank

Input Impedance Per Function W/load:

600.0 ohms blank

Output Impedance Per Function W/source Across Input:

600.0 ohms blank

Mounting Facility Screw Thread Series Designator:

Unc

Inclosure Type:

Hermetically sealed

Mounting Facility Type And Quantity:

2 threaded hole

Insertion Loss At Reference Frequency Per Function In Decibels:

10.5 blank

Functional Terminal Type And Quantity:

1 pin output 2nd function

Maximum Dielectric Withstanding Ac Rms Voltage:

500.0 volts at sea level

Specified Frequencies Of Discrimination Per Function:

6.535 kilohertz blank and 6.754 kilohertz blank and 6.846 kilohertz blank and 7.065 kilohertz blank

Thread Size:

0.138 inches

Frequency Band Width Per Function:

6.754 kilohertz blank and 6.846 kilohertz blank

Discrimination At Specificationified Frequencies Per Function In Decibels:

40.0 blank and 1.0 blank and 1.0 blank and 40.0 blank

Style Designator:

Rectangular terminal/terminals on one surface

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A047b0