NSN 5915-00-763-5108

Low Pass Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5915-00-763-5108

Overall Height:

Between 3.200 inches and 3.340 inches

Body Length:

2.000 inches

Body Width:

2.000 inches

Body Height:

3.000 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:

Between 1.490 inches and 1.510 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:

Between 1.490 inches and 1.510 inches

Operating Tempurature Range:

-55.0/+75.0 degrees celsius

Average Life Rating In Hours:

10000.0

Reference Frequency Per Function:

0.080 kilohertz blank

Source Impedance Rating Per Function:

4.5 kilohms blank

Load Impedance Per Function:

600.0 ohms blank

Mounting Facility Screw Thread Series Designator:

Unc

Inclosure Type:

Encased

Mounting Facility Type And Quantity:

1 threaded hole

Insertion Loss At Reference Frequency Per Function In Decibels:

0.6 blank

Functional Terminal Type And Quantity:

3 pin input 1st function

Specified Frequencies Of Discrimination Per Function:

0.600 kilohertz blank and 0.120 kilohertz blank and 0.300 kilohertz blank and 0.300 kilohertz blank

Thread Size:

0.138 inches

Frequency Band Width Per Function:

0.600 kilohertz blank and 0.120 kilohertz blank

Discrimination At Specificationified Frequencies Per Function In Decibels:

 $0.6\;$ blank and $45.0\;$ blank and $40.0\;$ blank and $40.0\;$ blank

Style Designator:

Rectangular terminal/terminals on one surface

NSN 5915-00-763-5108

Low Pass Filter - Page 2 of 2

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A047b0

