

View Online at <https://aerobasegroup.com/nsn/5915-00-764-3119>

Body Length:

Between 2.480 inches and 2.520 inches

Body Width:

Between 1.100 inches and 1.140 inches

Body Height:

Between 1.480 inches and 2.020 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:

Between 1.600 inches and 1.640 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:

Between 0.730 inches and 0.770 inches

Operating Temperature Range:

-55.0/+85.0 degrees celsius

Source Impedance Rating Per Function:

50.0 ohms 2nd radio interference

Load Impedance Per Function:

50.0 ohms 2nd radio interference

Power Line Frequency Rating Per Function In Hertz:

400.0 2nd radio interference

Operating Current Rating Per Function In Amps:

2.0 1st radio interference

Maximum Voltage Drop Per Function:

750.0 millivolts ac 2nd radio interference

Principal Circuitry Type Per Function:

Inductance-capacitance 2nd radio interference

Mounting Facility Screw Thread Series Designator:

Unc

Inclosure Type:

Hermetically sealed

Mounting Facility Type And Quantity:

4 threaded stud

Functional Terminal Type And Quantity:

2 tab, solder lug output 2nd function

Operating Voltage Rating And Type Per Function:

115.0 volts ac 2nd radio interference 2nd function

Thread Size:

0.138 inches

Body Material:

Metal

Style Designator:

Rectangular terminal/terminals on one surface

Test Data Document:

72314-1076-642 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A047b0