NSN 5915-00-764-6693

Low Pass Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5915-00-764-6693

Overall Height:
1.141 inches
Body Length:
1.516 inches
Body Width:
1.406 inches
Body Height:
0.766 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:
1.100 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:
1.000 inches
Operating Tempurature Range:
-15.0/+70.0 degrees celsius
Reference Frequency Per Function:
12.5 hertz blank
Source Impedance Rating Per Function:
50.0 ohms blank
Load Impedance Per Function:
50.0 ohms blank
Mounting Facility Screw Thread Series Designator:
Unc
Inclosure Type:
Hermetically sealed
Mounting Facility Type And Quantity:
2 threaded hole
Insertion Loss At Reference Frequency Per Function In Decibels:
6.0 blank
Functional Terminal Type And Quantity:
2 pin ground 3rd function
Specified Frequencies Of Discrimination Per Function:
1.00 hertz blank and 25.00 hertz blank and 140.00 hertz blank and 5.00 kilohertz blank
Thread Size:
0.112 inches
Body Material:
Metal
Frequency Band Width Per Function:
1.00 hertz blank and 25.00 hertz blank
Discrimination At Specificationified Frequencies Per Function In Decibels:
6.0 blank and 6.0 blank and 40.0 blank and 40.0 blank

Tin

Body Surface Treatment:

NSN 5915-00-764-6693

Low Pass Filter - Page 2 of 2



Rectangular terminal/terminals on one surface

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A047b0