NSN 5915-00-768-4663

Low Pass Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5915-00-768-4663

Overall Height:

4.438 inches

Body Length:

Between 2.844 inches and 2.906 inches

Body Width:

2.000 inches

Body Height:

4.000 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:

1.375 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:

1.250 inches

Operating Tempurature Range:

+0.0/+50.0 degrees celsius

Reference Frequency Per Function:

15.0 hertz blank

Input Impedance Per Function W/load:

100.0 kilohms blank

Output Impedance Per Function W/source Across Input:

100.0 kilohms blank

Mounting Facility Screw Thread Series Designator:

Unc

Inclosure Type:

Hermetically sealed

Mounting Facility Type And Quantity:

1 threaded stud

Insertion Loss At Reference Frequency Per Function In Decibels:

10.0 blank

Functional Terminal Type And Quantity:

2 tab, solder lug ground 3rd function

Specified Frequencies Of Discrimination Per Function:

0.00 hertz blank and 30.00 hertz blank and 0.00 hertz blank and 30.00 hertz blank

Thread Size:

0.138 inches

Frequency Band Width Per Function:

0.00 hertz blank and 30.00 hertz blank

Discrimination At Specificationified Frequencies Per Function In Decibels:

0.5 blank and 10.0 blank and 35.0 blank and 35.0 blank

Style Designator:

Rectangular terminal/terminals on one surface

Shelf Life:

N/a

NSN 5915-00-768-4663

Low Pass Filter - Page 2 of 2



	1	:.	~	84				
ι	JN	IT	UΤ	IVI	ea	Sι	ire:	•

--

Demilitarization:

No

Fiig:

A047b0