NSN 5915-00-776-2097

Low Pass Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5915-00-776-2097

Overall Height:
3.380 inches
Body Length:
1.750 inches
Body Width:
1.750 inches
Body Height:
3.000 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:
Between 1.748 inches and 1.752 inches
Operating Tempurature Range:
-55.0/+85.0 degrees celsius
Reference Frequency Per Function:
100.0 hertz blank
Source Impedance Rating Per Function:
3.0 kilohms blank
Load Impedance Per Function:
3.0 kilohms blank
Principal Circuitry Type Per Function:
Inductance-capacitance blank
Mounting Facility Screw Thread Series Designator:
Unc
Inclosure Type:
Hermetically sealed
Mounting Facility Type And Quantity:
2 threaded stud
Insertion Loss At Reference Frequency Per Function In Decibels:
1.0 blank
Functional Terminal Type And Quantity:
1 solder stud input 1st function1 solder stud output 2nd function1 solder stud ground 3rd function
Specified Frequencies Of Discrimination Per Function:
1.00 hertz blank and 100.00 hertz blank and 130.00 hertz blank and 160.00 hertz blank
Thread Size:
0.138 inches
Body Material:
Metal
Frequency Band Width Per Function:
1.00 hertz blank and 100.00 hertz blank
Discrimination At Specificationified Frequencies Per Function In Decibels:
3.0 blank and 20.0 blank

300.0 volts at sea level

Maximum Dielectric Withstanding Dc Voltage:

NSN 5915-00-776-2097

Low Pass Filter - Page 2 of 2



Style	Designa	tor
_		

Rectangular terminal/terminals on one surface

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A047b0